

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	41	synchroniz\$5 and ldap and (propagat\$4 with director\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:49
L2	25	L1 and @ad<"20020110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:49
L3	0	L2 and ((map\$4 or match\$3 or compar\$3) ) and (707/3).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:50
L4	0	1 and (707/3).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:50
L5	1	1 and (707/6).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:50
L6	0	1 and (707/202).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:50
L7	1	1 and (707/203).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:50
L8	1	1 and (707/204).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:50

S1	2	synchroniz\$5 and ldap and (join\$3 with heterogeneous) and director\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:33
S2	878	synchroniz\$5 and ldap and director\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:38
S3	41	S2 and (propagat\$4 with director\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:44
S4	3	S3 and (propagat\$4 with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:39
S5	10	S2 and (propagat\$4 with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:39
S6	41	synchroniz\$5 and ldap and (propagat\$4 with director\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:05
S7	1	S6 and join\$3 and updat\$3 and ((scor\$3 or weight\$3) with (analysis or monitor or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:49
S8	6	S6 and join\$3 and updat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:48

S9	0	S8 and @ad<"20020110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:49
S10	1	S6 and ((scor\$3 or weight\$3) with (analysis or monitor or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:49
S11	25	S6 and @ad<"20020110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:24
S12	0	S6 and @ad<"20020110" and ((scor\$3 or weight\$3) with (analysis or control\$4 or monitor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:00
S13	1	S6 and @ad<"20020110" and ((scor\$3 or weight\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:05
S14	0	S11 and ((map\$4 or match\$3 or compar\$3) with synonym)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:04
S15	0	S11 and ((map\$4 or match\$3 or compar\$3) with similar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:04
S16	22	S11 and ((map\$4 or match\$3 or compar\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:49

S17	7	S16 and (propagat\$4 with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:06
S18	54	synchroniz\$5 and ldap and (propagat\$4 with (hierarch\$3 or tree or director\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:05
S19	2	S18 and @ad<"20020110" and ((scor\$3 or weight\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:07
S20	14	S18 and (propagat\$4 with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:06
S21	7	S20 and @ad<"20020110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:07
S22	0	S6 and @ad<"20020110" and (best with match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:25
S23	0	S6 and @ad<"20020110" and ((scor\$3 or weight\$3) with match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:25
S24	0	(propagat\$4 with updat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:26

S25	12	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:27
S26	12	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with match\$3) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:31
S27	1	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with match\$3) and directory and synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 12:42
S28	12	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with (map\$4 or compar\$3 or match\$3)) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:33
S29	1	synchroniz\$5 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 13:00
S30	2	("6356892").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 12:12
S31	1	"262033".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 12:12
S32	12	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with match\$3) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 12:46

S33	13	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with (match\$3 or map\$4 or search\$3 or quer\$3)) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 15:10
S34	64	ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with (match\$3 or map\$4 or search\$3 or quer\$3)) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 13:01
S35	16	synchroniz\$5 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 13:18
S36	3	S35 and ((scor\$3 or weight\$3) with (analysic or control\$3 or monitor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 13:02
S37	1	(match\$3 with synonym) and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 13:19
S38	9	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and (updat\$3 with chang\$3) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 15:11
S39	4	S38 and (cop\$3 and (chang\$3 with log))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 15:12



Web Images Groups News Froogle Local <sup>New!</sup> [more »](#)  
  [Advanced Search](#)  
[Preferences](#)

**Web** Results 1 - 10 of about 29 for **ldap propagating update match metadirectory**. (0.48 seconds)

### NSF Middleware Initiative: Released for Public Review

... and updates are applied to records in an iPlanet Directory Server **LDAP** v3 ...  
 a **metadirectory** process can be leveraged to **update** core business systems. ...  
[middleware.internet2.edu/dir/metadirectories/rpr-nmi-edit-mace\\_dir-metadirectories\\_practices-1.0.html](http://middleware.internet2.edu/dir/metadirectories/rpr-nmi-edit-mace_dir-metadirectories_practices-1.0.html) - 83k - Feb 27, 2005 - [Cached](#) - [Similar pages](#)

### Metadirectory Practices for Enterprise Directories in Higher Education

... The updates are then applied to records in an iPlanet Directory Server **LDAP** ...  
 ... **metadirectory** process can be leveraged to **update** core business systems. ...  
[middleware.internet2.edu/dir/metadirectories/internet2-mace-dir-metadirectories-practices-200210.htm](http://middleware.internet2.edu/dir/metadirectories/internet2-mace-dir-metadirectories-practices-200210.htm) - 113k - [Cached](#) - [Similar pages](#)

### Microsoft Metadirectory Services

... service and support professional specializing in the **metadirectory** Product.  
 ... earlier: Compass, an **LDAP**-enabled application, or a Web browser. ...  
[support.microsoft.com/.../support.microsoft.com%2Fservicedesks%2Fwebcasts%2Fen%2Fwc080800%2Fwct080800.asp](http://support.microsoft.com/.../support.microsoft.com%2Fservicedesks%2Fwebcasts%2Fen%2Fwc080800%2Fwct080800.asp) - 59k - Feb 27, 2005 - [Cached](#) - [Similar pages](#)

### Microsoft Metadirectory Services Concepts and Architecture

... but the **metadirectory** is unable to **update** the user's title in applications,  
 ... the administrative user interface that speaks **LDAP** to the **metadirectory**. ...  
[students.estrellamountain.edu/larson/ms/ad2/ad2.htm](http://students.estrellamountain.edu/larson/ms/ad2/ad2.htm) - 67k - [Cached](#) - [Similar pages](#)

### [PDF] 26709 WELTMAN 00 i-xxii r4dc

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... Utility Classes for Handling **LDAP**-Specific Entities. . . . 38 ... Some full-scale  
**metadirectory** products are designed for. this purpose as well. ...  
[files.nixp.ru/books/programming/java/Addison%20Wesley%20--%20LDAP%20programming%20with%20Java.pdf](http://files.nixp.ru/books/programming/java/Addison%20Wesley%20--%20LDAP%20programming%20with%20Java.pdf) - [Similar pages](#)

### Active Directory, 2nd Edition > Wordlist

... planning, administration, architecture, OU, **LDAP**, global catalog, class, ...  
 metadata metadirectories **metadirectory** method methodname methodologies ...  
[www.rallenhome.com/books/ad2e/wordlist.html](http://www.rallenhome.com/books/ad2e/wordlist.html) - 80k - [Cached](#) - [Similar pages](#)

### Exchange 2000 Server - Corporate Backbone Scenario






... 2000 organizations, Microsoft **Metadirectory** Services (MMS) will be used. ...  
 of the backbone, administrative groups **match** routing groups one-to-one. ...  
[www.microsoft.com/resources/documentation/exchange/2000/all/reskit/en-us/part5/c22corp.mspx](http://www.microsoft.com/resources/documentation/exchange/2000/all/reskit/en-us/part5/c22corp.mspx) - 74k - [Cached](#) - [Similar pages](#)

### News

... "Berbew") which is capable of turning infected PCs into pr0n or spam **propagating**  
 zombies. ... which was formerly known as **Metadirectory** Services 2003. ...  
[cnscenter.future.co.kr/main/security-news/news/2003-07.html](http://cnscenter.future.co.kr/main/security-news/news/2003-07.html) - 129k - [Cached](#) - [Similar pages](#)

**[PDF] Oracle9**File Format: PDF/Adobe Acrobat - [View as HTML](#)... Metadirectories consolidate disparate information by **propagating** changes to... Directory Integration Toolkit, which allows third-party **metadirectory** ...zuse.esnig.cifom.ch/database/doc\_oracle/ Oracle901\_Linux/network.901/a90153.pdf - [Similar pages](#)**[doc] new MIIS 2003 GAL synchronization**File Format: Microsoft Word 2000 - [View as HTML](#)... By **propagating** users, contacts, and groups from one forest GAL as contacts... of the forests are imported into the **metadirectory** to create new objects. ...

download.microsoft.com/download/3/e/a/

3eae5244-5694-4551-b441-255043c0d006/MIIS\_2003\_GAL\_synchronization.doc - [Similar pages](#)Google Result Page:    1   2   3    [Next](#)Free! Google Desktop Search: Search your own computer. [Download now.](#)**Find:**  emails -  files -  chats -  web historyldap propagating update match m [Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google